AMENDMENTS

In the Claims

1. (Currently amended) An apparatus for thermally protecting an unoccupied child car seat, the apparatus comprising:

a flexible thermal barrier comprising:

an insulating layer configured to provide thermal resistance, an absorbing layer configured to absorb radiant energy on a first face of the flexible thermal barrier, and

a reflecting layer configured to reflect radiant energy on a second face of the flexible thermal barrier;

the flexible thermal barrier shaped and sized to substantially cover and thermally protect an interior portion of an unoccupied child car seat.

- 2. (Currently amended) The apparatus of claim 1, wherein the flexible thermal barrier further comprises an absorbing layer configured to absorb radiant energy an insulating layer positioned between the absorbing layer and the reflecting layer, the insulating layer configured to provide thermal resistance to the flexible thermal barrier.
- 3. The apparatus of claim 1, wherein the flexible thermal barrier is rollable into a storage shape.
- 4. The apparatus of claim 1, wherein the flexible thermal barrier is washable.
- 5. (Currently amended) The apparatus of claim 1, further comprising a <u>detachable</u> pouch removably attached to the <u>flexible</u> thermal <u>barrier</u>, the <u>detachable</u> pouch configured to receive a temperature moderation device.

- 6. (Cancelled) The apparatus of claim 5, wherein the pouch is detachable from the flexible thermal barrier.
- 7. (Original) The apparatus of claim 5, wherein the pouch comprises a waterproof material and a water absorbent lining.
- 8. (Original) The apparatus of claim 1, wherein the flexible thermal barrier is a quilted blanket.
- 9. (Currently amended) The apparatus of claim 1, further comprising means for securing a securement device configured to secure the flexible thermal barrier in a storage position, the securement device further configured to attach to a child car seat.
- 10. (Currently amended) The apparatus of claim 9, wherein the storage position is the securement device is further configured to store the flexible thermal barrier in a storage position above the a child car seat.
- 11. (Currently amended) The apparatus of claim 9, wherein the storage position is the securement device is further configured to store the flexible thermal barrier in a storage position behind the a child car seat.
- 12. (Original) The apparatus of claim 9, wherein the means for securing securement device comprises a strap and a fastener.

13.	(Currently amended) The apparatus of claim 9, wherein the means for securing securement
devi	ce is further configured comprises an attachment mechanism configured to facilitate removal of
the flexible thermal barrier from the child car seat.	
14.	(Cancelled)
15.	(Cancelled)
16.	(Cancelled)
17.	(Cancelled)
18.	(Cancelled)
19.	(Cancelled)
20. appa	(Currently amended) An apparatus for thermally protecting an unoccupied child car seat, the ratus comprising:
	a flexible washable thermal barrier comprising:
	an insulating layer configured to provide thermal resistance, an absorbing layer
configured to absorb radiant energy on a first face of the flexible thermal barrier, and	
	a reflecting layer configured to reflect radiant energy on a second face of the flexible
thermal barrier;	